



# CorePro LEDcapsule MV



# CorePro LEDcapsule ND 4.8-60W G9 830

The LED specialties deliver a high quality light to make themselves to be a true replacement of halogen specialty lamp (such as G9 and R7S). It is particularly suit for task lighting in hotel and restaurants, and ideal for decorative and ambient application. LEDspecialty products deliver huge energy saving and minimize maintenance costs, without any compromise on light quality.

#### **Product data**

General Information	
Cap-Base	G9
Nominal lifetime	15,000 hour(s)
Switching Cycle	50,000
Lighting Technology	LED
Flux measurement reference	Sphere
Light Technical	
Color Code	830 [CCT of 3000K]
Luminous Flux	570 lm
Luminous Efficacy (rated) (Nom)	118.00 lm/W
Color Designation	White (WH)
Correlated Color Temperature (Nom)	3000 K
Color Consistency	<6
Color rendering index (CRI)	80
LLMF At End Of Nominal Lifetime (Nom)	70 %
Flickering value (PstLM) - Flickering value as per	1.0
EN 61000-3-3	
Stroboscopic effect visibility measure (SVM)	0.4
1	

Photobiological safety according to EN 62471	RG1
Operating and Electrical	
Line Frequency	50 to 60 Hz
Input Frequency	50 to 60 Hz
Power Consumption	4.8 W
Lamp Current (Nom)	44 mA
Wattage Equivalent	60 W
Starting Time (Nom)	0.5 s
Warm-up time to 60% light	0.5 s
Power Factor (Fraction)	0.4
Voltage (Nom)	220-240 V
Temperature	
T-Case Maximum (Nom)	99 ℃
Controls and Dimming	
Dimmable	No


Datasheet, 2024, July 30 data subject to change

# CorePro LEDcapsule MV

Mechanical and Housing		
Bulb Shape	Capsule	
Approval and Application		
Energy Efficiency Class	E	
Suitable For Accent Lighting	No	
Energy Consumption kWh/1000 h	5 kWh	
EPREL Registration Number	397600	
CE mark	Yes	
EU RoHS compliant	Yes	
EyeComfort	Yes	
Application Conditions		
can it be used in closed luminaires	No	


Product Data		
Order product name	CorePro LEDcapsule ND 4.8-60W G9	
	830	
Full product name	CorePro LEDcapsule ND 4.8-60W G9	
	830	
Full product code	871869965818200	
Order code	929002059802	
Material Nr. (12NC)	929002059802	
Numerator - Quantity Per Pack	1	
Net Weight (Piece)	0.012 kg	
EAN/UPC - Product/Case	8718699658182	
Numerator - Packs per outer box	12	
EAN/UPC - Case	8718699658199	


## Dimensional drawing



Product	D	С
CorePro LEDcapsule ND 4.8-60W G9 830	19 mm	60 mm

### Photometric data






Spectral Power Distribution Colour - CorePro LEDcapsule ND 4.8-60W G9 830

General uniform lighting - CorePro LEDcapsule ND 4.8-60W G9 830


# CorePro LEDcapsule MV


### Photometric data



Light Distribution Diagram - CorePro LEDcapsule ND 4.8-60W G9 830

## Lifetime





LEDcapsule ND 4.8-60W G9

Lumen Maintenance Diagram - CorePro LEDcapsule ND 4.8-60W G9 830



© 2024 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.