# Lighting

**PHILIPS** 



### CorePro LEDcapsule MV

### CorePro LEDcapsule 3.2-40W ND G9 830

The LED specialties deliver a high quality light to make themselves to be a true replacement of halogen specialty lamp (such as G9 and R7S). It is particularly suit for task lighting in hotel and restaurants, and ideal for decorative and ambient application. LEDspecialty products deliver huge energy saving and minimize maintenance costs, without any compromise on light quality.

### **Product data**

General Information	
Cap-Base	G9
Nominal lifetime	15,000 hour(s)
Switching Cycle	8,000
Lighting Technology	LED
Flux measurement reference	Sphere
Light Technical	
Color Code	830 [CCT of 3000K]
Luminous Flux	400 lm
Luminous Efficacy (rated) (Nom)	125.00 lm/W
Color Designation	White (WH)
Correlated Color Temperature (Nom)	3000 K
Color Consistency	<6
Color rendering index (CRI)	80
LLMF At End Of Nominal Lifetime (Nom)	70 %
Flickering value (PstLM) - Flickering value as per	1
EN 61000-3-3	
Stroboscopic effect visibility measure (SVM)	0.4


Photobiological safety according to EN 62471	RGO
Operating and Electrical	
Line Frequency	50 to 60 Hz
Input Frequency	50 to 60 Hz
Power Consumption	3.2 W
Lamp Current (Nom)	30 mA
Wattage Equivalent	40 W
Starting Time (Nom)	0.5 s
Warm-up time to 60% light	0.5 s
Power Factor (Fraction)	0.4
Voltage (Nom)	220-240 V
Temperature	
T-Case Maximum (Nom)	82 °C
Controls and Dimming	
Dimmable	No

### CorePro LEDcapsule MV

Mechanical and Housing		
Bulb Finish	Clear	
Bulb Shape	Capsule	
Approval and Application		
Energy Efficiency Class	E	
Suitable For Accent Lighting	No	
Energy Consumption kWh/1000 h	4 kWh	
EPREL Registration Number	453191	
CE mark	Yes	
EU RoHS compliant	Yes	
EyeComfort	Yes	
Application Conditions		
can it be used in closed luminaires	No	

Product Data	
Order product name	CorePro LEDcapsule 3.2-40W ND G9
	830
Full product name	CorePro LEDcapsule 3.2-40W ND G9
	830
Full product code	871951430395900
Order code	929002495602
Material Nr. (12NC)	929002495602
Numerator - Quantity Per Pack	1
Net Weight (Piece)	0.012 kg
EAN/UPC - Product/Case	8719514303959
Numerator - Packs per outer box	12
EAN/UPC - Case	8719514303966

### Dimensional drawing




## ProductDCCorePro LEDcapsule 3.2-40W ND G9 83016.5 mm54 mm

### Photometric data

		1 x 9290034956 3008K 3.3W
		1 x 400 tm.
for image day as	Quantite estimation diagram	UGR-dagram
XIX	Moreau UN (K.).D	
KXXX		
1 8 2 1		1 12 Constant
12.24		
XX		
trans r		
armen at	Dilator lear-site	Laminarra Tátla
100 miles - 25	Advances for the other schemes in some	
Billion Martin	Manager R. V. offset of an antipartition of the second sec	
100 miles - 25		
Billion Martin		

hdps Lighting Silv


General uniform lighting - CorePro LEDcapsule 3.2-40W ND G9 830



Light Distribution Diagram - CorePro LEDcapsule 3.2-40W ND G9 830


### CorePro LEDcapsule MV

### Photometric data



Spectral Power Distribution Colour - CorePro LEDcapsule 3.2-40W ND G9 830

### Lifetime



Life Expectancy Diagram

Lumen Maintenance Diagram - CorePro LEDcapsule 3.2-40W ND G9 830



© 2024 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.

www.lighting.philips.com 2024, August 8 - data subject to change