



Master Value Decorative LED candles and lusters

MAS VLE LEDLusterD 2.6-15W E14 P45 SP G

The new Deco collection (candles and lusters) transforms your home with a perfect blend of (warm) white light and a lean, minimalistic lighting experience. With very long lifetime, up to 90% energy savings, no flickering and an instant full level brightness, you will also enjoy soft and evenly distributed light with that trendy and stylish charm for a welcoming harmony in your space.

Product data

General Information	
Cap-Base	E14
Nominal lifetime	15,000 hour(s)
Switching Cycle	20,000
Lighting Technology	LED
Light Technical	
Color Code	818 [CCT of 1800K]
Luminous Flux	136 lm
Luminous Efficacy (rated) (Nom)	52 lm/W
Color Designation	1800
Correlated Color Temperature (Nom)	1800 K
Color Consistency	<6
Color rendering index (CRI)	80
LLMF At End Of Nominal Lifetime (Nom)	70 %
Flickering value (PstLM) - Flickering value as per EN 61000-3-3	1

Stroboscopic effect visibility measure (SVM)	0.4
Photobiological safety according to EN 62471	RG1
Operating and Electrical	
Line Frequency	50 to 60 Hz
Input Frequency	50 to 60 Hz
Power Consumption	2.6 W
Lamp Current (Nom)	14 mA
Wattage Equivalent	15 W
Starting Time (Nom)	0.5 s
Warm-up time to 60% light	0.5 s
Power Factor (Fraction)	0.7
Voltage (Nom)	220-240 V
Temperature	
Ambient temperature range	-20 to +45 °C

Master Value Decorative LED candles and lusters

T-Case Maximum (Nom)	38 °C
----------------------	-------

Controls and Dimming

Dimmable	Only with specific dimmers
----------	----------------------------

Mechanical and Housing

Bulb Finish	Amber
Bulb Material	Glass
Bulb Shape	P45

Approval and Application

Energy Consumption kWh/1000 h	3 kWh
CE mark	Yes
EU RoHS compliant	Yes
EyeComfort	Yes


Application Conditions

can it be used in closed luminaires	No
-------------------------------------	----

Product Data



Order product name	MAS VLE LEDLusterD 2.6-15W E14 P45 SP G
Full product name	MAS VLE LEDLusterD 2.6-15W E14 P45 SP G
Full product code	871951431605800
Order code	929002983302
Material Nr. (12NC)	929002983302
Numerator - Quantity Per Pack	1
Net Weight (Piece)	0.014 kg
EAN/UPC - Product/Case	8719514316058
Numerator - Packs per outer box	10
EAN/UPC - Case	8719514316065

Dimensional drawing



Product	D	C
MAS VLE LEDLusterD 2.6-15W E14 P45 SP G	46 mm	80 mm

Photometric data




Spectral Power Distribution Colour - MAS VLE LEDLusterD 2.6-15W E14 P45 SP G

General uniform lighting - MAS VLE LEDLusterD 2.6-15W E14 P45 SP G

Master Value Decorative LED candles and lusters

Photometric data



Light Distribution Diagram - MAS VLE LEDLusterD 2.6-15W E14 P45 SP G

Lifetime



Life Expectancy Diagram



Lumen Maintenance Diagram - MAS VLE LEDLusterD 2.6-15W E14 P45 SP G

